

VIM QUICK REFERENCE CARD

`:viusage` Show a summary of all commands

Movements

`h l k j` character left, right; line up, down
`b w` word/token left, right
`ge e` end of word/token left, right
`{ }` beginning of previous, next paragraph
`()` beginning of previous, next sentence
`0 ^ $` beginning, first, last character of line
`nG ngg` line *n*, default the last, first
`n|` column *n* of current line
`%` ... match of next brace, bracket, comment, `#define`
`- +` line up, down on first non-blank character
`B W` space-separated word left, right
`gE E` end of space-separated word left, right
`gO gm` beginning, middle of *screen* line
`g^ g$` first, last character of *screen* line
`fC Fc` next, previous occurrence of character *c*
`tC Tc` before next, previous occurrence of *c*

Insertion & Replace → insert mode

`i a` insert before, after cursor
`I A` insert at beginning, end of line
`gI` insert text in first column
`o O` open a new line below, above the current line
`rc` replace character under cursor with *c*
`grc` like `r`, but without affecting layout
`R` replace characters starting at the cursor
`gR` like `R`, but without affecting layout
`cm` change text of movement command *m*
`cc or S` change current line
`C` change to the end of line

Deletion

`x X` delete character under, before cursor
`dm` delete text of movement command *m*
`dd D` delete current line, to the end of line
`J gJ` join current line with next, without space
`:rd` delete range *r* lines
`:rdx` delete range *r* lines into register *x*

Insert Mode

`^Vc ^Vn` insert char *c* literally, decimal value *n*
`^Vn` insert decimal value of character
`^A` insert previously inserted text
`^@` same as `^A` and stop insert → command mode
`^Rx ^R^Rx` insert content of register *x*, literally
`^N ^P` text completion before, after cursor
`^W` delete word before cursor
`^U` delete all inserted character in current line
`^D ^T` shift left, right one shift width
`^Kc1c2 or c1←c2` enter digraph {*c*₁, *c*₂}
`^Oc` execute *c* in temporary command mode
`^X^E ^X^Y` scroll up, down
`<esc> or ^[` abandon edition → command mode

Search & Substitution

`/s↔ ?s↔` search forward, backward for *s*
`/s/o↔ ?s?o↔` search fwd, bwd for *s* with offset *o*
`n or /↔` repeat forward last search
`N or ?↔` repeat backward last search
`# *` .. search backward, forward for word under cursor
`g# g*` same, but also find partial matches
`gd gD` .. local, global definition of symbol under cursor
`:rs/f/t/x` substitute *f* by *t* in range *r*
 [*x* : `g`—all occurrences, `c`—confirm changes
`:rs x` repeat substitution with new *r* & *x*

Formatting/Filtering

m is movement; leave out for visual mode commands
`gqm` format *m* (*formatprg*)
`gqgq or gqip` format current paragraph
`= m` reindent movement *m* (*equalprg*)
`:rce w` center lines in range *r* to width *w*
`:rle i` left align lines in range *r* with indent *i*
`:rri w` right align lines in range *r* to width *w*
`!mc↔` . filter lines of movement *m* through command *c*
`n! !c↔` filter *n* lines through command *c*
`:r!c` filter range *r* lines through command *c*
`~` switch case and advance cursor
`g~m gum gUm` ... switch case, lc, uc on movement *m*
`<m >m` shift left, right text of movement *m*
`n<< n>>` shift *n* lines left, right
`^A ^X` increment/decrement number under cursor

Visual Mode & Text Objects

`v V ^V` highlight characters, lines, block
`o` exchange cursor pos with start of highlighting
`gv` start highlighting on previous visual area
`aw as ap` select a word, a sentence, a paragraph
`ab aB a] a>` select a block (), { }, [] < >
`at` select an html tag
`a" a' a`` select a quotet string
`iw is ip ib iB i] i> it i" i' i`` .. select “inner”
`n> n< =` indent/unindent *n* levels, reindent

Undoing, Repeating & Registers

`u U` undo last command, restore last changed line
`. ^R` repeat last changes, redo last undo
`n.` repeat last changes with count replaced by *n*
`qc qC` .. record, append typed characters in register *c*
`q` stop recording
`@c` execute the content of register *c*
`@@` repeat previous `@` command
`:@c` execute register *c* as an *Ex* command

Copying (Yanking)

`"x` use register *x* for next delete, yank, put
`:reg [x]` show content registers/*x* reg
`ym` yank the text of movement command *m*
`yy or Y` yank current line into register
`p P` put register after, before cursor position
`]p [p` like `p`, `P` with indent adjusted
`gp gP` like `p`, `P` leaving cursor after new text

Patterns (differences to Perl) :help pattern

`\< \>` start, end of word
`\i \k \I \K` an identifier, keyword; excl. digits
`\f \p \F \P` . a file name, printable char.; excl. digits
`\e \t \r \b` `<esc>`, `<tab>`, `<↵>`, `<←>`
`\= * \+` ... match 0..1, 0..∞, 1..∞ of preceding atoms
`\{n, m}` match *n* to *m* occurrences
`\{-}` non-greedy match
`|` separate two branches (\equiv *or*)
`\(\)` group patterns into an atom
`\& \1` the whole matched pattern, 1st () group
`\u \l` upper, lowercase character
`\c \C` ignore, match case on next pattern
`\%x` match hex character

\@= \@! (?=pattern) (?!pattern)
 \@<= \@<! (?<=pattern) (?<!pattern)
 \@> (?>pattern)
 _ ^ _ \\$.start-of-line/end-of-line, anywhere in pattern
 \. any single char, including end-of-line
 \zs \ze set start/end of pattern
 \%^ \%\$ match start/end of file
 \%V match inside visual area
 \'m match with position of mark m
 \%(\) unnamed grouping
 _[] collection with end-of-line included
 \%[] sequence of optionally matched atoms
 \v very magic: patterns almost like perl

Spell Checking

:set spell spelllang=de_20 activate spellcheck
]s next misspelled word
 zg zG add good word (to internal word list)
 zw zW mark bad word (to internal word list)
 z= suggest corrections

Marks, Motions, and Tags

mc mark current position with mark $c \in [a..Z]$
 'c 'C go to mark c in current, C in any file
 '' '" go to position before jump, at last edit
 '[']' go to start, end of previously operated text
 :marks print the active marks list
 :jumps print the jump list
 n^0 go to n^{th} older position in jump list
 n^I go to n^{th} newer position in jump list
 ^] ^T ..jump to the tag under cursor, return from tag
 :ts t list matching tags and select one for jump
 :tj t jump to tag or select one if multiple matches
 gf open file which filename is under cursor
 :tags print tag list

Multiple Files / Buffers (↔)

:tab ball show buffer tablist
 :buffers show list of buffers
 :buffer n switch to buffer n
 :badd $f.txt$ load file into new buffer
 :bdelete n delete buffer n (also with filename)
 :bnext :bprev :bfirst :blast ... buffer movement

Scrolling & Multi-Windowing

^D ^U ^F ^B scroll half / full page page down, up
 zt zz zb ...current line to top, center, bottom of win
 :[v]split ^Ws ^Wv split window (horiz., vert.)
 :vert help open help vertically
 ^Wf ^W] open file, tag in split
 :[v]new ^Wn new empty window (horiz., vert.)
 :on ^Wo make current win the only one
 ^Wj ^Wk ^Wh ^Wl ...move down, up, left, right to win
 ^WJ ^WK ^WH ^WL move win down, up, left, right
 ^Wn+ ^Wn- increase/decrease win size by n lines
 ^Wn > ^Wn < increase/decrease window width
 ^Wn_ ^Wn| set height/width (max if no n)
 ^W= Make win size equal
 ^Wr ^Wx Rotate, exchange windows
 ^Wc close window

Misc Ex Commands (↔) :help holy-grail

:e f edit file f , reload current file if no f
 :r w f write range r to file f (current file if no f)
 :r w >> f append range r to file f
 :r g [!]/ p/cmd ..ex cmd on range r [not] matching p
 :q :q! ..quit and confirm, quit and discard changes
 :wq or :x or ZZ write to current file and exit
 :r f insert content of file f below cursor
 :r! c insert output of command c below cursor
 :rc a :rm a copy, move range r below line a

Ex Ranges

, ; separates two lines numbers, set to first line
 n an absolute line number n
 . \$ the current line, the last line in file
 % * entire file, visual area
 't position of mark t
 / p / ? p ? the next, previous line where p matches
 + n - n + n , - n to the preceding line number

Completion

^X^L whole lines
 ^X^N ^X^I .. keywords in current file, plus included files
 ^X^K ^X^N keywords in dictionary, thesaurus
 ^X^] ^X^F ^X^D tags, filenames, defs/macros
 ^X^V vim command line
 ^X^U ^X^O user defined, omni- completion

Folding

:set fdm=indent indent-foldmethod
 zfm create fold of movement m
 :rfo create fold for range r
 zd zE delete fold at cursor, all in window
 zo zc zO zC open, close one fold; recursively
 [z]z move to start, end of current open fold
 zj zk move down, up to start, end of next fold
 zm zM fold more, close all folds
 zr zR fold less, open all folds
 zn zN zi fold non, fold normal, invert folding
 :set foldcolumn=4 show foldcolumn

Compiling

:compiler c set/show compiler plugins
 :make run `makeprg`, jump to first error
 :cope navigate errors from make
 :cn :cp display the next, previous error
 :cl :cf list all errors, read errors from file

Miscellaneous

:sh :! c start shell, execute command c in shell
 K run `keywordprg` (man) on word under cursor
 ^L redraw screen
 ^G ...show cursor column, line, and character position
 :set cuc show cursor column visually
 ga show ASCII value of character under cursor
 :mkview [f] :loadview [f] ..save/load configuration
 :set ff=dos convert file to dos eol format
 :e ++ff=unix reopen file in unix eol format
 :write ++enc=utf-8 Write file in utf-8
 :set hlsearch highlight searches
 :rhardcopy > `file.ps` print range to ps file
 :set list show listchar characters (tabs etc.)