

MARKDOWN SYNTAX



Markdown is a way to style text on the web. You control the display of the document; formatting words as bold or italic, adding images, and creating lists are just a few of the things we can do with Markdown. Mostly, Markdown is just regular text with a few non-alphabetic characters thrown in, like # or *.

HEADERS

```
# This is an <h1> tag  
## This is an <h2> tag  
##### This is an <h6> tag
```

EMPHASIS

```
*This text will be italic*  
_This will also be italic_  
  
**This text will be bold**  
_This will also be bold__  
  
*You **can** combine them*
```

BLOCKQUOTES

As Grace Hopper said:

```
> I've always been more interested  
> in the future than in the past.
```

As Grace Hopper said:

```
I've always been more interested  
in the future than in the past.
```

LISTS

Unordered

- * Item 1
- * Item 2
- * Item 2a
- * Item 2b

Ordered

1. Item 1
2. Item 2
3. Item 3
 - * Item 3a
 - * Item 3b

IMAGES

![GitHub Logo](/images/logo.png)

Format: ! [Alt Text] (url)

LINKS

<http://github.com> - automatic!

[GitHub](http://github.com)

BACKSLASH ESCAPES

Markdown allows you to use backslash escapes to generate literal characters which would otherwise have special meaning in Markdown's formatting syntax.

```
\*literal asterisks\*
```

```
*literal asterisks*
```

Markdown provides backslash escapes for the following characters:

\ backslash	() parentheses
' backtick	# hash mark
* asterisk	+ plus sign
_ underscore	- minus sign (hyphen)
{ curly braces	. dot
[] square brackets	! exclamation mark

GITHUB FLAVORED MARKDOWN



GitHub.com uses its own version of the Markdown syntax, GFM, that provides an additional set of useful features, many of which make it easier to work with content on GitHub.com.

USERNAME @Mentions

Typing an `@` symbol, followed by a username, will notify that person to come and view the comment. This is called an “@mention”, because you’re mentioning the individual. You can also @mention teams within an organization.

ISSUE REFERENCES

Any number that refers to an Issue or Pull Request will be automatically converted into a link.

```
#1  
github-flavored-markdown#1  
defunkt/github-flavored-markdown#1
```

EMOJI

To see a list of every image we support, check out www.emoji-cheat-sheet.com

```
GitHub supports emoji!  
:+1: :sparkles: :camel: :tada:  
:rocket: :metal: :octocat:
```

GitHub supports emoji!



FENCED CODE BLOCKS

Markdown converts text with four leading spaces into a code block; with GFM you can wrap your code with ````` to create a code block without the leading spaces. Add an optional language identifier and your code will get syntax highlighting.

```
```javascript  
function test() {
 console.log("look ma', no spaces");
}
...
````
```

```
function test() {  
  console.log("look ma', no spaces");  
}
```

TASK LISTS

- [x] this is a complete item
 - [] this is an incomplete item
 - [x] @mentions, #refs, [links](), **formatting**, and tags supported
 - [x] list syntax required (any unordered or ordered list supported)
-
- this is a complete item
 - this is an incomplete item
 - @mentions, #refs, links, formatting, and tags supported
 - list syntax required (any unordered or ordered list supported)

TABLES

You can create tables by assembling a list of words and dividing them with hyphens `-` (for the first row), and then separating each column with a pipe `|`:

| First Header | Second Header |
|------------------|------------------|
| Content cell 1 | Content cell 2 |
| Content column 1 | Content column 2 |

| First Header | Second Header |
|------------------|------------------|
| Content cell 1 | Content cell 2 |
| Content column 1 | Content column 2 |